

Name (Pinyin):

Email (Prefix):

Computer Architecture I

Homework 6

2021 Spring April 22

Instructions:

Homework 6 covers the content of caches, please refer to the lecture slides. You can print it out, write on it and scan it into a pdf, or you can edit the PDF directly, just remember: you must create a **PDF** and upload to the **Gradescope**. Please assign the questions properly on Gradescope, otherwise you will lose 25% of points.

[30 points] Question Set 1. Direct Mapped Cache

In a 32-bit machine (word size is 32 bit), the clock frequency is 2GHz. We have a direct mapped cache with properties as follows:

1. Cache size is 32 Bytes;
2. Block size is 8 Bytes;
3. Cache hit time is 2 cycles;
4. Cache miss penalty is 100 cycles;

1-A. What is the width (in bits) of each field of following address bit assignment?

TAG: 27	Set index: 2	Block offset: 3
---------	--------------	-----------------

Please provide info about how you came to this result. (Answer 6pt + Analysis 4pt)

1-B. We will access the data of addresses as follows. Fill in the blanks. It is about T/I/O(tag/index/offset), whether there is a hit. (each line worth 1 pt.)

Addresses (serially access)	T/I/O	Miss or Hit {"Miss", "Hit"}
0x00000004	0/0/4	Miss
0x00000005	0/0/5	Hit
0x00000068	3/1/0	Miss
0x000000c8	6/1/0	Miss
0x00000068	3/1/0	Miss
0x000000dd	6/3/5	Miss
0x00000045	2/0/5	Miss
0x00000004	0/0/4	Miss
0x000000c8	6/1/0	Miss
0x00000004	0/0/4	Hit

1-C. Calculations. (Show progress, worth 50% pts)

1-C-i: miss rate: (4 pt.)

0.8

1-C-ii: AMAT (ns): (3 pt.)

$$1 + 0.8 * 50 = 41 \text{ ns}$$

1-C-iii: AMAT if we don't have this cache (ns): (3 pt.)

50ns

[30 points] Question Set 2. Four-Way Set Associative Cache

From Q1 (32bit machine, clock frequency is 2GHz), we implemented a four-way set associative cache. The parameters are shown as follows:

1. Cache size is 32 B;
2. Block size is 8 Bytes;
3. Cache hit time is 2 cycles;
4. Cache miss penalty is 100 cycles;

2-A. What the width of each field of following address bit assignment:

TAG: 29	Set index: 0	Block offset: 3
---------	--------------	-----------------

Give me the progress how you think about it. (Answer 6pt + Analysis 4pt)

2-B. We will access the data of addresses as follows. Fill in the blanks. It is about T/I/O(tag/index/offset), whether there is a hit. Use LRU algorithm. (each line worth 1 pt.)

Addresses (serially access)	T/I/O	Miss or Hit {"Miss", "Hit"}
0x00000004	0/0/4	Miss
0x00000005	0/0/5	Hit
0x00000068	13/0/0	Miss
0x000000c8	25/0/0	Miss
0x00000068	13/0/0	Hit
0x000000dd	27/0/5	Miss
0x00000045	8/0/5	Miss
0x00000004	0/0/4	Miss
0x000000c8	25/0/0	Miss
0x00000004	0/0/4	Hit

2-C. Calculations.

2-C-i. Miss rate: (5 pt.)

0.7

2-C-ii. Calculate the AMAT in ns. (5 pt.)

$$1 + 0.7 * 50 = 36$$

[22 points] Question Set 3. Cache Friendly Programming

This C program is run on a processor with a direct-mapped data cache with a size of 1KiB and a block size of 16 bytes. Assume that your cache begins cold and no optimization. (32bit machine)

```
int i, j, A[256*256];
sum = 0;
for (i = 0; i < 256; i++) {
    for (j = 0; j < 256; j++) {
        sum += A[256*i + j];
    }
}
```

Assume no optimization and `sizeof(int) == 4` and `A = 0x4000`.

3-A-i. Make use of what kind of locality (2 pt.)

Spacial locality.

3-A-ii. Calculate the miss rate. Show progress (10 pt.)

Every four miss one. Miss rate = 0.25

3-B. Calculate the miss rate.

```
int i, j, A[256*256];
sum = 0;
for (i = 0; i < 256; i++) {
    for (j = 0; j < 256; j++) {
        sum += A[256*j + i];
    }
}
```

Show your progress (10 pt.)

All miss. Miss rate = 1

[18 points] Question Set 4. AMAT

4-A. Impact of increasing associativity with fixed block size and number of sets. Fill in with increase, decrease or unchange. (3 pt)

Hit time	increase
Miss rate	decrease
Miss penalty	unchange

4-B. Suppose your L1\$ has a hit time of 2 cycles and a local miss rate of 20%. Your L2\$ has a hit time of 15 cycles and a global miss rate of 5%. Your main memory access needs 100 cycles.

4-B-i. Write down your local miss rate of L2\$. (5 pt)

5 / 20 = 25%

4-B-ii. Write down the AMAT of the system. (5 pt)

$$2 + 0.2 * (15 + 0.25 * 100) = 10 \text{ cycles}$$

4-B-iii. Suppose your newly added L3\$ has a hit time of 30 cycles and you want reduce your AMAT of the system to 8 cycle, what is the largest local miss rate? (5 pt)

$$2 + 0.2 * (15 + 0.25 * (30 + m * 100)) \leq 8$$

$$M \leq 30\%$$