#### Homework 2

#### Robotics 2020 - Shanghai Tech University

## 1 Robots. (10 %)

- 1. Make a list: Name the five coolest/ best/ most interesting robots (or types of robots) for **you**. Those have to be robots that actually exist(ed) and work(ed). (As long as you name five robots this answer is correct it is up to you what robots you find interesting!)
- 2. For one of those robots, write at least three sentences why this is a cool robot.
- 3. Imagine a humanoid household robot. This robot should do lot's of things in the house, for example wash the dishes and put them back in the shelf, cook dinner, play with your kids, walk the dog, go shopping, etc. What do you think what are the greatest challenges towards humanoid household robots? Name three to five challenges, max two sentences each.

Save your answers in a text file called "Robots.txt" in the root folder of your HW2 repo (see below).

## 2 ROS Tutorials (10%)

Work through the tutorials on http://wiki.ros.org/ROS/Tutorials/ till number 13. You do not need to do number 12 (Python).

## 3 Academic Honesty

Please everybody do the homework completely by yourself. You are doing this to learn about robotics and ROS. Do not ask other students for help. Ask in piazza! If the problem persists go to the office hour of the TA's (see on piazza) and/ or ask Prof. Schwertfeger - we will help you!

# 4 Preparation

You are required to follow these steps and use the framework as a remote repository. Otherwise you'll loose points in the next task!

Make a new ROS workspace, e.g. hw2\_ws:

mkdir -p ~/hw2\_ws/src

cd ~/hw2\_ws/src

Clone your HW repo from gitlab...

In the repository add a remote repo that contains the provided HW2 framework files:

cd into your repo

git remote add HW2frame https://robotics.shanghaitech.edu.cn/static/robotics2020/hw2.git Go and fetch the files:

git fetch HW2frame

Now merge those files with your master branch:

git merge HW2frame/master --allow-unrelated-histories

Now you should have the files in your master repo. If you do ls you should see the following:

mobile\_robotics\_hw\_2 pose2d\_to\_3d random\_odom2d

The rest of the git commands work as usual.

Now go and make the workspace:

```
cd ~/hw2_ws
catkin_make
```

Do not forget to always source "setup.bash" in the "devel" folder of your workspace for every new shell that you open!

source devel/setup.bash

If everything went well up to here (i.e. no errors during compilation) you are ready to proceed with the actual homework. If there was a problem, try your best to solve it - maybe ask on piazza.

## 5 Calculate Global Pose Estimate (40%)

Your task is to calculate the global pose estimate of a robot in 2D. Input are 2D odometry estimates published on topic "/odometry2D". The odometry as well as the pose are of message type "mobile\_robotics\_hw\_2/Pose2DStamped", that can be found in the downloaded code. Looking at Pose2DStamped.msg you will see that it consists of a "Header" and a "geometry\_msgs/Pose2D". You can find out more about the messages by executing:

rosmsg show mobile\_robotics\_hw\_2/Pose2DStamped

Your task is to use 2D geometry to calculate an estimate of the global position of the robot based on the odometry input. Your global reference frame should have the name "global". The first odometry estimate received should be relative to this global frame.

Make sure to publish the pose with the correct frame\_id and the timestmap of the received odometry message.

File "mobile\_robotics\_hw\_2/src/odometry.cpp" has everything you need already prepared - you just need to do the calculation and fill the corresponding message! You can add this around line 19. gedit mobile\_robotics\_hw\_2/src/odometry.cpp &

**Important:** For every line of code that you write, add one line of comments (starting with "//"), describing what the line of code does.

Compile by going into the root of your workspace and execute "catkin\_make".

Test by running:

rosrun mobile\_robotics\_hw\_2 mobile\_robotics\_hw\_2\_node

See the "readme.txt" on how to send a test odometry message and how to replay and record the bag files.

Create a bagfile named "poses.bag" from the content of the **whole** "odometry.bag". So you have to make sure that you start your node first, then start the rosbag record, and only then start the rosbag play!

#### 5.1 Purely Optional

If you are bored and want to play around with more random odometry values, you can start the node "random\_odom2d". This will publish random messages of type "mobile\_robotics\_hw\_2/Pose2DStamped" on the topic "/odometry2D". You can take a look at "random\_odom2d/src/random\_odom2D.cpp" for more details.

# 6 Calculate and Publish Speed (20%)

Additionally to the pose, calculate the speed of the robot in units per second (a unit in ROS is by default meter). Publish the speed of type "mobile\_robotics\_hw\_2/SpeedStamped" under the topic name "/speed". Add all the needed code to "odometry.cpp". Record a bagfile called "speed.bag", containing all needed data (so number of odometry messages -1, staring with the 2nd).

## 7 Display Pose and Path in Rviz (20%)

Rviz is a ROS program to display robot data. It does not handle our 2D pose message, so a converter to 3D pose and path message is provided. Run: rosrun pose2d\_to\_3d pose2D\_to\_3D\_node This will publish a "geometry\_msgs/PoseStamped" and a "nav\_msgs/Path" on the topics "pose3D" and

"path3D", respectively. It listens to the output of your program on "pose2D".

You can run your program live together with the "pose2D\_to\_3D\_node" or you can play your recorded "poses.bag".

Start rviz with:

#### rosrun rviz rviz

Add a path display and a pose display and set the according topics in those displays. You also need to set the Fixed Frame in Global Options on the left to "global". Also try what happens when you set Fixed Frame to "pose2D\_to\_3D\_node".

Show the complete path and the last pose of "odometry.bag" in rviz, using "global" as fixed frame, and make screen shot. Make sure to also show (parts of) the relevant terminals in that screen shot. Save the screen shot in "mobile\_robotics\_hw\_2/" under the file name "rviz.png".

#### 8 Submission

Your submission consists of the framework with your changes, the bagfiles and the image, all committed to git and pushed to the gitlab server. Everything should be in the HW2 folder you got by merging with the framework!

Make sure that your bagfiles only contain the topic needed. Make sure that the size of the bagfile is not bigger than needed!

The following files are important:

- "Robots.txt" from the first task.
- Everything that was in the original "mobile\_robotics\_hw\_2/" folder The code must compile and be the code you used to create the .bag file!
- Especially "odometry.cpp", including your code and the comments.
- "poses.bag" created by you!
- "speed.bag" created by you!
- "rviz.png": the screen-shot from rviz.

All files created by you (so Robots.txt, poses.bag, speed.bag and rviz.png) should be placed in the root of the repo - not in a subfolder.